

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4564983	"42"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:10
L2	0	@ad="20030807" increment\$4 with (data near4 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:10
L3	587	@ad<="20030807" increment\$4 with (data near4 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11
L4	420	@ad<="20030807" increment\$4 with (data near2 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11
L5	41	@ad<="20030807" increment\$4 with (data near2 rate\$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11

L8	2	"6219343".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/05 14:19
L9	0	@ad<="20030807" rang\$2 with (data near2 rate \$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:19
L10	180	@ad<="20030807" rang\$2 with (data near2 rate \$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:21
L11	12	@ad<="20030807" (rang\$2 near5 stor\$5) with (data near2 rate\$2) register\$2 request with select \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:22
L12	43	@ad<="20030807" (rang\$2 near5 stor\$5) with (data near2 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:22

L13	2201	@ad<="20030807" data with rate\$2 incremental with chang\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:24
L14	915	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:24
L15	159	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4 register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25
L16	159	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4 register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25
L17	3	@ad<="20030807" (data near2 rate\$2) same (incremental near2 chang\$4) register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25

L18	151	@ad<="20030807" (data near2 rate\$2) (incremental near2 value\$2) register with stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:26
L19	531	(data near2 rate\$2) with (increment\$3) register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:32
L20	79	(data near2 rate\$2) with (incremental) register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:32
L21	2102	(data near2 rate\$2) with variable register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:40
L22	0	(data near2 rate\$2) with (variable near4 range \$2) register near5 stor%4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41

L23	0	(data near2 rate\$2) with (variable near4 range \$2) register near5 stor4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
L24	7	(data near2 rate\$2) with (variable near4 range \$2) register near5 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
L25	26	(data near2 rate\$2) with (variable near4 range \$2) value\$2 near5 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
L26	34	(data near2 rate\$2) with (variable near4 range \$2) value\$2 with stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:42
L27	82	(data near2 rate\$2) with (variable near4 range \$2) value\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43

L28	12	(data near2 rate\$2) with (variable near4 range\$2 near5 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43
L29	12	(data near2 rate\$2) with (variable near4 range\$2 near5 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43
L30	34	(data near2 rate\$2) with (variable near4 range \$2) request\$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:44
L31	18	(data near2 rate\$2) with (variable near4 range \$2) request\$4 with select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:46
L32	44	(data near2 rate\$2) with (variable near4 range \$2) request\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:47

L33	1360	(data near2 rate\$2) with (variable) request\$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:47
L34	1063	(data near2 rate\$2) with range\$2 request\$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
L35	560	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
L36	282	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
L37	3	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807" select with optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:49

L38	71	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807" optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:50
L41	1255	(data near2 rate\$2) with range\$2 @ad<="20030807" optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:27
L42	144	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:28
L43	137	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:29
L44	73	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps transmission near4 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:29
S1	0	@ad="20030807" increment\$4 same rate variable with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S2	16	@ad="20030807" increment\$4 same rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:37

S3	1	@ad="20030807" increment\$4 same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:38
S4	0	@ad="20030807" increment\$4 same transmission same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S5	0	@ad="20030807" increment\$4 same transmission port	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:51
S6	3	@ad="20030807" increment\$4 same transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39
S7	0	@ad="20030807" transmission same rate port increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39
S8	1	@ad="20030807" transmi\$4 same rate port increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39
S9	12	@ad="20030807" transmi\$4 same rate increment \$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:40
S10	9	@ad="20030807" transmi\$4 with rate increment \$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:42
S11	0	@ad="20030807" data with rate variable same resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:42
S12	6	@ad="20030807" data with rate variable resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:43
S13	19	@ad="20030807" data with rate variable transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:43
S14	4	@ad="20030807" data with rate variable same transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:44
S15	0	@ad="20030807" switch (segmented near3 rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:44
S16	0	@ad="20030807" switch (segmented with rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S17	0	@ad="20030807" switch (segmented same rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45

S18	1	@ad="20030807" switch segmented same rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45
S19	3	hou-cheng-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45
S20	2	@ad="20030807" variable same (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:47
S21	0	@ad="20030807" variable with (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S22	0	@ad="20030807" adjustable with (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S23	599	@ad<="20030807" increment\$4 same transmission same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S24	70	@ad<="20030807" switch (segmented with rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S25	33	@ad<="20030807" switch (segmented with rate) with control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:53
S26	17	@ad<="20030807" switch (segmented with rate) with control port "370"/\$.cols.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S27	0	@ad<="20030807" switch (segmented adj rate) with control port "370"/\$.cols.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S28	0	@ad<="20030807" switch (segmented adj rate) with control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S29	0	@ad<="20030807" switch (segmented adj rate) same control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S30	1152	@ad<="20030807" (rate with control) same increment\$4 variable with rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:55
S31	421	@ad<="20030807" (rate with control) same increment\$4 (rate adj control) same (system or register)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56
S32	301	@ad<="20030807" (rate with control) same increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56

S33	148	@ad<="20030807" (rate with control) with increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56
S34	82	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:04
S35	2	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) adj engine	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S36	0	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) adj register	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S37	601	@ad<="20030807" (rate near3 control) with increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S38	10	@ad<="20030807" (rate near3 control) with increment\$4 variable same (data adj rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:08
S39	470	@ad<="20030807" (rate adj control) variable same (data adj rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:08
S40	2541	@ad<="20030807" variable same (data adj rate) control function	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:09
S41	807	@ad<="20030807" variable same (data adj rate) control with function	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:09
S42	35	@ad<="20030807" variable with (data adj rate) control inversely adj proportional "370"/\$.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/14 20:52
S43	0	("2005/0030957").URPN.	USPAT	AND	OFF	2007/04/13 14:12
S44	0	("2005/0030957").URPN.	USPAT	AND	OFF	2007/04/13 14:13
S45	2	@ad<="20030807" variable with (data adj rate) control inversely adj proportional "370"/229,230,230.1,231,233,235.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/14 20:52
S46	418	@ad<="20030807" (data adj rate) with rang\$2 transmission resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:24

S47	24	@ad<="20030807" (data adj rate) with rang\$2 transmission with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:25
S48	6	@ad<="20030807" (data adj rate) near5 rang\$2 transmission with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:27
S49	1303	@ad<="20030807" (data adj rate) near5 rang\$2	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:27
S50	101	@ad<="20030807" (data adj rate) near5 ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:28
S51	49	@ad<="20030807" (data adj rate) near5 ranges mbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:41
S52	1	@ad<="20030807" ((data adj rate) near5 ranges) same table gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:42
S53	11	@ad<="20030807" ((data adj rate) near5 ranges) same table	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:44
S54	11	@ad<="20030807" ((data adj rate) with ranges) same table	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:44
S55	0	@ad<="20030807" ((data adj rate) with ranges) same (1000mbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:45
S56	0	@ad<="20030807" ((data adj rate) with ranges) same ("1000" mbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:45
S57	3	@ad<="20030807" ((data adj rate) with ranges) same (gbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:46
S58	173	@ad<="20030807" ((data adj rate) with ranges)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:46
S59	173	@ad<="20030807" (data adj rate) with ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:57
S60	7	@ad<="20030807" (data adj rate) with ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:02
S61	4	@ad<="20030807" (data adj rate) with ranges gbps mbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:03

S62	317	@ad<="20030807" (data near3 rate) with ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:03
S63	8	@ad<="20030807" (data near3 rate) with ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S64	26	@ad<="20030807" (data near3 rate) same ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:18
S65	5	@ad<="20030807" (data near3 rate) segmented near data near rate\$2	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:28
S66	2	@ad<="20030807" (data adj rate) near5 ranges mbps near3 gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:29
S67	0	@ad<="20030807" hou-cheng-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S68	0	@ad<="20030807" hou-chengliang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S69	0	@ad<="20030807" "hou-chengin."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S70	0	@ad<="20030807" "hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S71	0	"hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S72	0	"hou-cheng-liang.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S73	0	"hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S74	0	hou-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S75	0	hou-cheng-l.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S76	0	hou-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57

S77	1588	hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S78	0	hou-c.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S79	2	cheng-hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S80	0	liang-cheng-hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S81	0	hou-liang-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S82	0	hou-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S83	0	hou-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S84	42	@ad<="20030807" variable with (data near3 rate) variable near4 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S85	26	@ad<="20030807" variable with (data near3 rate) variable near2 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S86	14	@ad<="20030807" variable with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S87	20	@ad<="20030807" transmission with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:54
S88	1	@ad<="20030807" transmission with (data near3 rate) variable near4 resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:55
S89	0	@ad<="20030807" transmission with (data near3 rate) variable adj resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S90	0	@ad<="20030807" (transmission near4 port) with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S91	0	@ad<="20030807" (transmission near4 port) with rate variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56

S92	0	@ad<="20030807" (transmission near4 port with rate variable near3 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S93	13	@ad<="20030807" port near4 rate resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:57
S94	0	@ad<="20030807" port near2 data with rate variable with (resolution near2 rate\$2)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:00
S95	47	@ad<="20030807" variable with (resolution near2 rate\$2)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:00
S96	6	@ad<="20030807" (variable near3 data adj rate \$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:03
S97	24	@ad<="20030807" (variable near6 data near2 rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:05
S98	33	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near4 chang\$4)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:07
S99	48	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 increas\$4)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:13
S100	919	@ad<="20030807" (data near2 rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:18
S101	11	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near5 variable)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:18
S102	420	@ad<="20030807" data near2 rate\$3 near4 increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:21
S103	3	@ad<="20030807" data near2 rate\$3 near4 increment\$4 port near transmission	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:21
S104	14	@ad<="20030807" data near2 rate\$3 near4 increment\$4 port near8 transmission	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:28
S105	6	@ad<="20030807" (data near2 rate\$3 near4 increment\$4) with fixed	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:29
S106	17	@ad<="20030807" (fixed near3 data near2 rate \$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:30

S107	18	@ad<="20030807" (fixed near3 data near2 rate\$3) with increment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:31
S108	5	@ad<="20030807" (fixed near3 data near2 rate\$3) same (increment\$4 near6 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:35
S109	193	@ad<="20030807" (data near2 rate\$3) same (increment\$4 near6 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:37
S110	48	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:37
S111	2	(data near2 rate\$3 near4 increment\$4 port near8 transmission).clm.	US-PGPUB; USPAT	AND	OFF	2008/10/08 11:23
S112	103	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 increas\$5) storing with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:31

S113	0	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 increas\$5) with (storing with register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:31
S114	781	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S115	41	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S116	31	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S117	31	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32

S118	11	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:37
S119	6	@ad<="20030807" data with (increment\$4 near2 value\$2) (storing near2 rate\$2 near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:42
S120	0	@ad<="20030807" rate\$2 with (increment\$4 near2 increase) (storing near2 rate\$2 near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:44
S121	10	@ad<="20030807" rate\$2 with (increment\$4 near2 increase) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:44
S122	109	@ad<="20030807" rate\$2 with (increment\$4 near4 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45

S123	84	@ad<="20030807" rate\$2 with (increment\$4 near2 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45
S124	41	@ad<="20030807" rate\$2 with (increment\$4 near2 value\$2) (storing near2 register\$2) data with transmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45
S125	19	@ad<="20030807" (data near7 transmi\$6) with (increment\$4 near2 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:49
S126	57	@ad<="20030807" register with (incremental near6 value\$2) data near5 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52
S127	49	@ad<="20030807" register with (incremental near2 value\$2) data near5 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52

S128	42	@ad<="20030807" register with (incremental near2 value\$2) data near2 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52
S129	42	@ad<="20030807" register with (incremental near2 value\$2) data near2 rate\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 13:23
S130	72	@ad<="20030807" (stor\$3 with rate\$2) with (increment\$4 near2 value\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:34
S131	12	@ad<="20030807" (stor\$3 near2 rate\$2) with (increment\$4 near2 value\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:35
S132	129	@ad<="20030807" (stor\$3 near2 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:36

S133	80	@ad<="20030807" (stor\$3 near2 data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:36
S134	38	@ad<="20030807" (stor\$3 near2 data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:37
S135	515	@ad<="20030807" (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40
S136	170	@ad<="20030807" (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 with select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40
S137	2	@ad<="20030807" (request\$4 near6 select\$4) with (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40

S138	78	@ad<="20030807" select\$4 with (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:42
S139	240	@ad<="20030807" select\$4 (data near4 rate\$2) with register (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:48
S140	0	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) with (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S141	2	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) same (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S142	287	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) same value\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49

S143	24	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) with increment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S144	0	@ad<="20030807" (incremental near5 data near4 rate\$2) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:06
S145	39	@ad<="20030807" (incremental near5 data) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:06
S146	2	@ad<="20030807" (incremental near5 rate\$2) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:07
S147	13	@ad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:07

S148	1	@rlad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08
S149	1	@prad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08
S150	10	@prad<="20030807" (incremental near5 rate\$2) with data (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08
S151	6	@prad<="20030807" (incremental near5 data) with rate\$2 (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09
S152	0	@prad<="20030807" (incremental near5 data) same (rate\$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09

S153	45	@ad<="20030807" (incremental near5 rate\$2) with data (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09
S154	7	@ad<="20030807" (incremental near5 data) same (rate\$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:12
S155	25	@ad<="20030807" (incremental near5 value\$2) same (rate\$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:12

6/ 5/ 2009 4:12:44 PM

C:\ Documents and Settings\ rjain1\ My Documents\ EAST\ Workspaces\ 10694732.wsp